

TOWN OF GILFORD Recreation Center of New Hampshire

DEPARTMENT OF PLANNING & LAND USE

Project:			
Location:			
Owner:			
Design Professional in Responsible 0	Charge:		
This Statement of Special Inspections is Special Inspection and Structural Testing Inspection services applicable to this prothe identity of other approved agencies Statement of Special Inspections encomp	g requirements oject as well as to be retain pass the follow	of the Building Code. It is the name of the Spe ed for conducting thes	It includes a schedule of Special cial Inspection Coordinator and te inspections and tests. This
The Special Inspection Coordinator shall the Building Official and the Registed discrepancies shall be brought to the discrepancies are not corrected, the discrepancies are not corrected.	ered Design e immediate crepancies sha esponsible Ch	Professional in Resp attention of the Contr ill be brought to the atte	onsible Charge. Discovered actor for correction. If such ntion of the Building Official and
Interim reports shall be submitted to Responsible Charge.	the Building	Official and the Regi	stered Design Professional in
A Final Report of Special Inspections do correction of any discrepancies noted in Use and Occupancy.			
Job site safety and means and methods	of construction	are solely the respons	bility of the Contractor.
Interim Report Frequency:			or per attached schedule.
Prepared by:			
(type or print name)		-	
Signature		Date	Design Professional Seal
Owner's Authorization:		Building Official's Acc	eptance:
Signature	Date	Signature	Date

Instructions - Preparation of the Statement of Special Inspections

1. Who Prepares the Form:

The program of inspection and testing for a project should be prepared by the Registered Design Professional (RDP) that is in responsible charge of the building system requiring inspections and testing. The Structural Engineer of Record (SER) should prepare the sections required for the structural elements such as foundations, concrete, structural steel, etc. The Architect and MEP Engineer of Record should prepare the corresponding sections of the SSI for the building systems that they are responsible for. For further explanation, please refer to the "Guide to Special Inspections and Quality Assurance".

2. The Front Page:

- 2-1. At the top of the page indicate the project name and location as they appear on the Contract Documents, provide the Owner's name (individual, private company, municipality, government agency, etc.), and indicate the Design Professional In Responsible Charge. This should be the RDP in responsible charge of the building systems for which this Statement of Special Inspections is being prepared. See explanation in item 1 above.
- 2-2. Next, read the first paragraph and check the box below indicating the discipline(s) that this SSI will encompass (Structural, Architectural, Mechanical/Electrical/Plumbing, or Other).
- 2-3. After reading the remaining paragraphs, the RDP must indicate the frequency of "Interim Reports" required from the Special Inspection Coordinator for the project. This can be indicated directly on the page, i.e. "weekly", or the adjacent box can be checked to attach a more specific schedule.
- 2-4. Near the bottom of the page, the RDP must print, sign, and date the form, and stamp the form with their professional seal in the box provided.
- 2-5. The Owner or Owner's agent must sign and date the front page after the SSI has been completed by the RDP.
- 2-6. The Building Official must sign and date the form upon acceptance.

3. Page 2 – Schedule of Inspection and Testing Agencies:

- 3-1. The top of the page lists all of the categories of building systems with a box next to each. The RDP must check the boxes for <u>only</u> the building systems that are going to be covered in this SSI. A completed inspection program page must be attached for each building system that is checked off. (See instruction #5 below.)
- 3-2. The chart below is where the members of the Special Inspection Program are listed.

 Their names, addresses, telephone numbers, and emails should be filled out in the appropriate boxes. If the Inspectors and Testing Agencies have not been determined yet, the RDP can fill in the boxes with "To Be Determined".

4. Page 3 – Quality Assurance Plan:

- 4-1. The RDP must review sections 1705 and 1706 in Chapter 17 of the IBC to determine if the project requires a Quality Assurance Plan for the seismic force and wind force resisting systems and components.
- 4-2. The RDP must indicate whether or not a Quality Assurance Plan is required by filling in the information requested on the page. It is only necessary to provide descriptions

of the seismic and wind force resisting systems if it is determined that a Quality Assurance Plan is required.

- 5. Inspection Program Pages For Each Building System:
 - 5-1. There is a page attached for each building system where the RDP identifies the inspection requirements of each system. Fill out the pages for only the building systems included in this SSI. <u>Do not</u> include blank pages for building systems not covered under this SSI.
 - 5-2. Indicate the inspection or testing firm (Agency #) that will perform each inspection task. The Agency # is the number listed next to the Inspector or Testing Laboratory on the chart on page 2 of the SSI.
 - 5-3. Indicate the required qualifications of the Inspector for each inspection. A list of qualifications of Inspectors and testing technicians is provided on page 4 of the SSI for reference. The RDP may require additional qualifications beyond the ones listed if they feel it is appropriate. Suggested qualifications have been included for consideration. The RDP must determine what qualifications are appropriate for the particular project and confirm that the selected agency employs individuals with the specified qualifications.
 - 5-4. The scope of each inspection must be filled in by the RDP. The editable text provided in italics reflects the code mandated minimum inspection requirements designated in section 1704 of IBC Chapter 17. The editable text does <u>not</u> include the inspections requirements for seismic and wind resisting systems listed in sections 1705 through 1708. The RDP must determine if the project falls under the requirements of sections 1705 to 1708 and add the required inspections to the building systems. The final scope of the inspections required for the project must be determined by the RDP.
 - 5-5. Descriptions of all inspections must include the required frequency of each inspection or test.

Page

of

Schedule of Inspection and Testing Agencies

This Statement of Special Inspections / Quality Assurance Plan includes the following building systems:			
Soils and Foundations Cast-in-Place Concre Precast Concrete Masonry Structural Steel Cold-Formed Steel Fr	te	pray Fire Resistant Material food Construction xterior Insulation and Finish System techanical & Electrical Systems rchitectural Systems pecial Cases	
Special Inspection Agencies	Firm	Address, Telephone, e-mail	
Special Inspection Coordinator			
2. Inspector			
3. Inspector			
4. Testing Agency			
5. Testing Agency			
6. Other			
Note: The inspectors and testing a the Contractor or Subcontractor who disclosed to the Building Official, principle.	hose work is to be inspect	by the Owner or the Owner's Agent, and not by ted or tested. Any conflict of interest must be	

Quality Assurance Plan

Quality Assurance for Seismic Resistance

Seismic Design Category

Quality Assurance Plan Required (Y/N)

Description of seismic force resisting system and designated seismic systems:

Quality Assurance for Wind Requirements

Basic Wind Speed (3 second gust)
Wind Exposure Category
Quality Assurance Plan Required (Y/N)

Description of wind force resisting system and designated wind resisting components:

Statement of Responsibility

Each contractor responsible for the construction or fabrication of a system or component designated above must submit a Statement of Responsibility.

Qualifications of Inspectors and Testing Technicians

The qualifications of all personnel performing Special Inspection and testing activities are subject to the approval of the Building Official. The credentials of all Inspectors and testing technicians shall be provided if requested.

Key for Minimum Qualifications of Inspection Agents:

When the Registered Design Professional in Responsible Charge deems it appropriate that the individual performing a stipulated test or inspection have a specific certification or license as indicated below, such designation shall appear below the Agency Number on the Schedule.

PE/SE PE/GE

EIT

Structural Engineer - a licensed SE or PE specializing in the design of building structures Geotechnical Engineer - a licensed PE specializing in soil mechanics and foundations Engineer-In-Training – a graduate engineer who has passed the Fundamentals of

Engineering examination

American Concrete Institute (ACI) Certification

ACI-CFTT ACI-CCI

Concrete Field Testing Technician - Grade 1

Concrete Construction Inspector

ACI-LTT

Laboratory Testing Technician - Grade 1&2

ACI-STT

Strength Testing Technician

American Welding Society (AWS) Certification

AWS-CWI

Certified Welding Inspector

AWS/AISC-SSI Certified Structural Steel Inspector

American Society of Non-Destructive Testing (ASNT) Certification

ASNT

Non-Destructive Testing Technician - Level II or III.

International Code Council (ICC) Certification

ICC-SMS	Sl
ICC-SW	21

Structural Masonry Special Inspector

ICC-SFSI

Structural Steel and Welding Special Inspector Spray-Applied Fireproofing Special Inspector

ICC-PCSI

Prestressed Concrete Special Inspector

ICC-RCSI

Reinforced Concrete Special Inspector

National Institute for Certification in Engineering Technologies (NICET)

NICET-CT

Concrete Technician - Levels I, II, III & IV

NICET-ST

Soils Technician - Levels I, II, III & IV

NICET-GET

Geotechnical Engineering Technician - Levels I, II, III & IV

Exterior Design Institute (EDI) Certification

EDI-EIFS

EIFS Third Party Inspector

Other

Soils and Foundations

Item	Agency # (Qualif.)	Scope
1. Shallow Foundations	PE/GE	Inspect soils below footings for adequate bearing capacity and consistency with geotechnical report. Inspect removal of unsuitable material and preparation of subgrade prior to placement of controlled fill
2. Controlled Structural Fill	PE/GE	Perform sieve tests (ASTM D422 & D1140) and modified Proctor tests (ASTM D1557) of each source of fill material. Inspect placement, lift thickness and compaction of controlled fill. Test density of each lift of fill by nuclear methods (ASTM D2922) Verify extent and slope of fill placement.
3. Deep Foundations	PE/GE	Inspect and log pile driving operations. Record pile driving resistance and verify compliance with driving criteria. Inspect piles for damage from driving and plumbness. Verify pile size, length and accessories. Inspect installation of drilled pier foundations. Verify pier diameter, bell diameter, lengths, embedment into bedrock and suitability of end bearing strata.
4. Load Testing 4. Other:		

Cast-in-Place Concrete

Item	Agency # (Qualif.)	Scope
1. Mix Design	ACI-CCI ICC-RCSI	Review concrete batch tickets and verify compliance with approved mix design. Verify that water added at the site does not exceed that allowed by the mix design.
2. Material Certification		
3. Reinforcement Installation	ACI-CCI ICC-RCSI	Inspect size, spacing, cover, positioning and grade of reinforcing steel. Verify that reinforcing bars are free of form oil or other deleterious materials. Inspect bar laps and mechanical splices. Verify that bars are adequately tied and supported on chairs or bolsters
4. Post-Tensioning Operations	ICC-PCSI	Inspect placement, stressing, grouting and protection of post- tensioning tendons. Verify that tendons are correctly positioned, supported, tied and wrapped. Record tendon elongations.
5. Welding of Reinforcing	AWS-CWI	Visually inspect all reinforcing steel welds. Verify weldability of reinforcing steel. Inspect preheating of steel when required.
6. Anchor Rods		Inspect size, positioning and embedment of anchor rods. Inspect concrete placement and consolidation around anchors.
7. Concrete Placement	ACI-CCI ICC-RCSI	Inspect placement of concrete. Verify that concrete conveyance and depositing avoids segregation or contamination. Verify that concrete is properly consolidated.
Sampling and Testing of Concrete	ACI-CFTT ACI-STT	Test concrete compressive strength (ASTM C31 & C39), slump (ASTM C143), air-content (ASTM C231 or C173) and temperature (ASTM C1064).
9. Curing and Protection	ACI-CCI ICC-RCSI	Inspect curing, cold weather protection and hot weather _protection procedures
10. Other:		

Precast Concrete

Agency # (Qualif.)	Scope
ACI-CCI ICC-RCSI	Review plant operations and quality control procedures.
ACI-CCI ICC-RCSI	Inspect concrete batching operations and verify compliance with approved mix design
ACI-CCI ICC-RCSI	Inspect size, spacing, position and grade of reinforcing steel. Verify that reinforcing bars are free of form oil or other deleterious materials.
ICC-PCSI	Inspect placement, stressing, grouting and protection of prestressing tendons
ACI-CCI ICC-RCSI	Inspect placement of concrete. Verify that concrete conveyance and depositing avoids segregation or contamination. Verify that concrete is properly consolidated.
ACI-CFTT ACI-STT	Test concrete compressive strength (ASTM C31 & C39), slump (ASTM C143), air-content (ASTM C231 or C173) and temperature (ASTM C1064).
ACI-CCI ICC-RCSI	Inspect curing, cold weather protection and hot weather protection procedures.
PE/SE	Inspect erection of precast concrete including member configuration, connections, welding and grouting.
	ACI-CCI ICC-RCSI ACI-CCI ICC-RCSI ACI-CCI ICC-RCSI ACI-CCI ICC-RCSI ACI-CCI ICC-RCSI ACI-CCI ICC-RCSI

Ma	as	0	n	rv	7
----	----	---	---	----	---

Required Inspection Lev	el: 🔲	1 🗌 2
-------------------------	-------	-------

Item	Agency # (Qualif.)	Scope
Material Certification		
2. Mixing of Mortar and Grout	ICC-SMSI	Inspect proportioning, mixing and retempering of mortar and grout.
3. Installation of Masonry	ICC-SMSI	Inspect size, layout, bonding and placement of masonry units.
4. Mortar Joints	ICC-SMSI	Inspect construction of mortar joints including tooling and filling of head joints.
5. Reinforcement Installation	ICC-SMSI AWS-CWI	Inspect placement, positioning and lapping of reinforcing steel. Inspect welding of reinforcing steel.
6. Prestressed Masonry	ICC-SMSI	Inspect placement, anchorage and stressing of prestressing bars.
7. Grouting Operations	ICC-SMSI	Inspect placement and consolidation of grout. Inspect masonry clean-outs for high-lift grouting.
7. Weather Protection	ICC-SMSI	Inspect cold weather protection and hot weather protection procedures. Verify that wall cavities are protected against precipitation.
Evaluation of Masonry Strength	ICC-SMSI	Test compressive strength of mortar and grout cube samples (ASTM C780). Test compressive strength of masonry prisms (ASTM C1314).
10. Anchors and Ties	ICC-SMSI	Inspect size, location, spacing and embedment of dowels, anchors and ties.
11. Other:		

Structural Steel

ltem	Agency # (Qualif.)	Scope
Fabricator Certification/ Quality Control Procedures Fabricator Exempt	AWS/AISC- SSI ICC-SWSI	Review shop fabrication and quality control procedures.
2. Material Certification	AWS/AISC- SSI ICC-SWSI	Review certified mill test reports and identification markings on wide-flange shapes, high-strength bolts, nuts and welding electrodes
3. Open Web Steel Joists		Inspect installation, field welding and bridging of joists.
4. Bolting	AWS/AISC- SSI ICC-SWSI	Inspect installation and tightening of high-strength bolts. Verify that splines have separated from tension control bolts. Verify proper tightening sequence. Continuous inspection of bolts in slipcritical connections.
5. Welding	AWS-CWI ASNT	Visually inspect all welds. Inspect pre-heat, post-heat and surface preparation between passes. Verify size and length of fillet welds. Ultrasonic testing of all full-penetration welds.
6. Shear Connectors	AWS/AISC- SSI ICC-SWSI	Inspect size, number, positioning and welding of shear connectors. Inspect suds for full 360 degree flash. Ring test all shear connectors with a 3 lb hammer. Bend test all questionable studs to 15 degrees.
7. Structural Details	PE/SE	Inspect steel frame for compliance with structural drawings, including bracing, member configuration and connection details.
8. Metal Deck	AWS-CWI	Inspect welding and side-lap fastening of metal roof and floor deck.
9. Other:		

Cold-Formed Steel Framing

Item	Agency # (Qualif.)	Scope
1. Member Sizes		
2. Material Thickness		
3. Material Properties		
4. Mechanical Connections		
5. Welding		
6. Framing Details		
7. Trusses		
8. Permanent Truss Bracing		
0.00		
9. Other:		

Spray-Applied Fire Resistant Material

Page

of

Item	Agency # (Qualif.)	Scope
1. Material Specifications		
Laboratory Tested Fire Resistance Design	ICC-SFSI	Review UL fire resistive design for each rated beam, column, or assembly.
3. Schedule of Thickness	ICC-SFSI	Review approved thickness schedule.
4. Surface Preparation	ICC-SFSI	Inspect surface preparation of steel prior to application of fireproofing
5. Application	ICC-SFSI	Inspect application of fireproofing.
6. Curing and Ambient Condition	ICC-SFSI	Verify ambient air temperature and ventilation is suitable for application and curing of fireproofing.
7. Thickness	ICC-SFSI	Test thickness of fireproofing (ASTM E605). Perform a set of thickness measurements for every 1,000 SF of floor and roof assemblies and on not less than 25% of rated beams and columns.
8. Density	ICC-SFSI	Test the density of fireproofing material (ASTM E605).
9. Bond Strength	ICC-SFSI	Test the cohesive/adhesive bond strength of fireproofing ASTM E736). Perform not less than one test for each 10,000 SF
10. Other:		

Wood Construction

Page

of

Item		Agency # (Qualif.)	Scope
1.	Fabricator Certification/ Quality Control Procedures Fabricator Exempt		Inspect shop fabrication and quality control procedures for wood truss plant.
2.	Material Grading		
3.	Connections		
4.	Framing and Details		
5.	Diaphragms and Shearwalls		Inspect size, configuration, blocking and fastening of shearwalls and diaphragms. Verify panel grade and thickness.
6.	Prefabricated Wood Trusses		Inspect the fabrication of wood trusses.
7.	Permanent Truss Bracing		
8.	Other:		

Exterior Insulation & Finish Systems (EIFS)

ltem	Agency # (Qualif.)	Scope
1. Material Submittals		
2. Condition of Substrate		
Application of Foam Plastic Board		
4. Application of Coatings		
5. Application of Mesh		
6. Ambient Condition and Curing		
7. Flashing and Joint Details		
8. Sealants/Caulks		
Q. Othor:		
9. Other:		

Mechanical & Electrical Systems

Item	Agency # (Qualif.)	Scope
1. Smoke Control		
2. Mechanical, HVAC & Piping		
2. Electrical System		
3. Electrical System		
4. Other:		

Architectural Systems

Item	Agency # (Qualif.)	Scope
Wall Panels & Veneers		
2. Suspended Ceilings		
3. Access Floors		
	;	
	: :	
4. Other:		

Special Cases

Page

of

Item	Agency # (Qualif.)	Scope